

# 16-Inch 3-Speed Oscillating Electric Standing Fan

This 16-inch standing fan provides efficient cooling for homes and offices. It features three-speed settings and an oscillating function for widespread air circulation.



## ADDITIONAL IMAGES



## Overview



Classic 16-inch standing fan design suitable for any interior decor.

### High-Performance 16-Inch Standing Fan


This versatile 16-inch electric standing fan is designed to provide powerful and customizable cooling for home and office environments. Featuring a 3-speed motor and wide-angle oscillation, it ensures efficient air circulation throughout any room. With adjustable height and pitch settings, users can easily direct airflow exactly where it is needed for maximum comfort.

#### Ideal Applications

Living Room, Bedroom, Office, Meeting Room, Indoor Residential

## Performance & Control

### Wide Angle Oscillation



The fan features broad horizontal and vertical adjustment for optimal air distribution.

### Performance Highlights

**45 W**

Rated Power

**3**

Speed Settings

**16 inch**

Fan Diameter

### Oscillation & Adjustment


- 90° Horizontal oscillation
- 25° Upward pitch adjustment
- 15° Downward pitch adjustment
- Wide-angle air distribution

## Technical Specifications


### Electrical Data

Parameter	Value
Voltage	110-120V / 220-240V
Frequency	50/60Hz
Motor Type	Aluminum or Copper options
Power Consumption	45W (Standard) / 40W (Efficiency model)

## Physical Construction



Sturdy 400mm base and height adjustment up to 1300mm.



Available with either a stable cross base or a sleek round chassis.

## Materials & Build

Component	Material / Type
Body Material	High-quality Plastic
Blade Material	PP or AS Plastic
Grill Type	Metal Grill (Radial or Mesh options)
Base Options	Round base or Cross base

## Dimensions

- Product Size: 445 x 400 x 1300 mm
- Adjustable Height: 0.9m to 1.3m
- Base Diameter: 400 mm

## Logistics & Compliance



Fully certified with international safety standards including CE and CB.

## Packaging & Shipping

Metric	Value
Packing	1 pc per box
Package Size	490 x 155 x 510 mm
Net Weight	5.2 KGS
Gross Weight	5.8 KGS
Loading Capacity (20GP/40GP/40HQ)	720 / 1440 / 1780 pcs

## Safety Certifications

CE • CB • CQC • ISO 9001