

## 3T Wheel Loader

This wheel loader's compact design allows convenient installation and transportation. It is widely used for shoveling materials such as soil, coal, and sand.



### ADDITIONAL IMAGES



### Overview



#### Versatile 3T Earthmoving Solution

This 3T Wheel Loader is a high-efficiency earthwork machine designed for demanding construction, mining, and agricultural projects. Its compact new design ensures convenient installation and transportation while maintaining robust performance for shoveling soil, sand, and coal. With excellent maneuverability and simple operation, it serves as a reliable asset for highway, railway, and port construction tasks.

### Key Performance Metrics

#### Performance Highlights

**1800 kg**  
Rated Load


**0.9 m<sup>3</sup>**  
Bucket Capacity

**3500 mm**  
Dumping Height

## Technical Specifications



### GENUINE PARTS



## Physical Parameters

Item	Value	Unit
Total Weight	5300	kg
Rated Load	1800	kg
Rated Bucket Capacity	0.9	m3
Dumping Height	3500	mm

## Operational Advantages



### PACKING



## Key Benefits

- Fast operation and high efficiency
- Good maneuverability in tight spaces
- Simple and portable operation
- Compact design for easy transport

## Applications



### PROJECT



UN Project

Telecom

stone crusher

Residential building

Cement Tanker

loader

hospital-building

Bank-building

## Common Applications

Highway Construction, Railway Projects, Hydropower, Port Logistics, Mining, Agriculture, Landscaping

## Functional Capabilities

### Material Handling

- Shoveling bulk materials (soil, sand, lime, coal)
- Excavation of ores and hard soil
- Bulldozing with auxiliary devices
- Lifting and loading/unloading wood

## Compliance & Quality

### Standards & Compliance

ISO 9001:2015 • CE Certified • Machinery Directive 2006/42/EC • ISO 12100:2010