

# Adult Electric Motorcycle with 3000W-10000W Motor

This electric motorcycle is designed for adult riders and features a motor with a power range of 3000W to 10000W. It is equipped with a 72V lithium battery, providing a top speed of 160km/h and a maximum range of 200km.



## ADDITIONAL IMAGES



## Overview



The BMX2 features a modern, aggressive design suitable for urban environments.

## High-Performance Electric Mobility

The BMX2 is a high-performance electric motorcycle designed for adult riders seeking a blend of power, speed, and sustainability. Equipped with a versatile motor range from 3000W to 12000W and a high-capacity 72V lithium battery, it delivers a thrilling top speed of up to 160km/h and a maximum range of 200km. Its robust steel frame and advanced hydraulic suspension ensure a stable and comfortable ride for urban commuting or recreational use.

## Performance

### Performance Highlights

**160 km/h**

Top Speed

**200 km**

Max Range

**12000 W**

Peak Power

**200 kg**

Max Loading

## Powertrain & Battery



Powerful hub motor and hydraulic suspension system for superior ride quality.

Motor Type	3000W-12000W rear hub motor or mid motor options
Battery Configuration	72V 30Ah-120Ah Lithium Battery
Maximum Output	58 kW
Charging Time	d8hours (depends on battery and 5-20A charger type)
Battery Life Cycle	800-1200 times

## Chassis & Safety



Reinforced steel frame provides durability and safety for high-speed riding.

<b>Tires</b> <ul style="list-style-type: none"><li>• Front: 110/70-17</li><li>• Rear: 140/70-16</li></ul>	
Frame Construction	Second-reinforced Steel
Suspension	Front hydraulic absorber; Rear high-quality hydraulic absorber
Brakes	Double Front Disk & Rear Disk

## Features

Dashboard	TFT Whole Screen Colorful LCD Display
Lighting System	Full LED Front Lights
Climbing Ability	20 degree

## Compliance

Product Certifications	DOT, CE, EEC, COC, ISO 9001:2012, TUV, SGS, UL
------------------------	--

## Logistics



Secure iron frame and carton packaging ensures safe international transit.

### Container Capacity

Container Type	Units (Plan A/B)
20' GP Container	18 / 24 units
40' HQ Container	48 / 70 units

### Packaging Method

Iron frame + 7-Layer Carton or Wooden package