



Mini Portable Air Conditioner

This mini air conditioner is designed for low noise operation and quick charging. It features a quality compressor, copper evaporation tube, and remote control within a compact, portable design.




MINI Air Conditioner

Mini Air Conditioner	
Model	ASMAC-01
Cooling capacity	1100W
Heating capacity	1200W
Rated cooling current	2A
Rated heating current	2.2A
Rated cooling power	330W
Rated heating power	360W
Maximum input current	2.5A
Maximum input power	440W
Circulation air volume	80m ³ /h
Footage size	455x285x195mm
Noise	<38dB(A)
Refrigerant	R134a/90g
Net weight	12kg




REMOTE CONTROL


ADDITIONAL IMAGES




Add : No.62 Xinggang Road , Changzhou , Jiangsu , China
 Tel : +86-519-83978050/83978029
 Fax : +86-519-93978999
 Website : <http://solar.amecco.com>
 Email : amecsolar@amecco.com




LOW NOISE



QUICK CHARGE



LOW POWER CONSUMPTION



Product Overview

Mini Portable Climate Control Solution

This compact, portable air conditioner offers a versatile solution for localized cooling and heating needs. Engineered with a high-quality compressor and pure copper evaporation tubes, the unit ensures efficient performance while maintaining a low-noise environment under 38dB(A). Designed for ease of use, it features remote control operation and is built for energy efficiency in small spaces.

Performance Metrics

Cooling Capacity	1100 W
Heating Capacity	1200 W
Air Circulation Volume	80 m ³ /h

Electrical Specifications

Rated Power Consumption

330 W

Cooling Power

360 W

Heating Power

Rated Current

2 A

Cooling Current

2.2 A

Heating Current

Physical Attributes

Dimensions	455x285x195mm
Net Weight	12 kg

Features

Primary Advantages

Low Noise, Quick Charge, Silent Running, Portable, Remote Control

Technical Details

Max Input Capacity

Metric	Value
Max Input Current	2.5A
Max Input Power	440W

Refrigerant Type

R134a/90g