




Modular Plastic Conveyor Belt - 38.1mm Pitch, FDA Approved

This modular plastic conveyor belt has a 38.1mm pitch and is constructed from FDA-approved materials. It is designed for use in assembly lines and other industrial conveying applications.



ADDITIONAL IMAGES



Overview

Modular Plastic Conveyor Belt

This high-performance modular plastic conveyor belt features a 38.1mm pitch and is engineered for demanding industrial environments, including automotive maintenance and food processing. Constructed from durable, FDA-approved materials, it offers exceptional reliability with a maximum load capacity of up to 1.2 tons per square meter. Its modular design simplifies assembly, maintenance, and repair, significantly reducing downtime compared to traditional belt systems.

Technical Specifications

Max Load Capacity

1.2 tons/m²

Max Load

Pitch	38.1 mm
Thickness	20.4 mm
Minimum Width	50.2 mm
Rod Diameter	8 mm
Open Area	0%
Working Temperature	-40°C to 260°C

Materials & Compliance

Certifications

FDA Approved • EU Compliant

Available Colors

- White
- Blue
- Gray
- Nature
- Dark-brown

Material Composition

PP, POM, PE, PA

Configuration

Configuration Features

Feature	Status
Flight	No
Side Guard	No
Curve Capability	No

Sprocket Dimensions

10T; Available in square and round bore types

Applications

Industries Served

- Meat Processing (Beef & Pork)
- Poultry
- Sea Food
- Bakery
- Snack Food
- Fruit & Vegetables
- Automotive
- Tire Manufacturing
- Packaging
- Printing/Paper
- Postal
- Corrugated Cardboard
- Can Manufacturing
- PET Manufacturing
- Textile