



# Modular Plastic Conveyor Belt HS-6800A

The HS-6800A is a modular plastic conveyor belt designed for the automotive industry. It features a 38.1mm pitch, is 19mm thick, and is constructed from materials including PP, POM, PE, and PA.



## ADDITIONAL IMAGES



## Product Overview

### High-Performance Modular Conveyor Belt

This modular plastic conveyor belt is engineered for demanding industrial environments, particularly within the automotive and food processing sectors. Its robust interlocking design allows for easy customization and maintenance, while the high-quality plastic construction ensures exceptional durability and load-bearing capabilities. Designed for seamless integration, this system offers reliable performance, chemical resistance, and a long service life, helping to optimize production workflows and minimize downtime.

## Technical Specifications

### Available Colors

White • Blue • Gray • Nature • Dark-brown

Pitch	38.1 mm
Thickness	19 mm
Minimum Width	50.2 mm
Open Area	0%
Rod Diameter	8 mm
Material Composition	PP, POM, PE, PA

## Performance Metrics

### Maximum Load Capacity

**1.2 tons/sqm**

Max Load

### Working Temperature

-40°C to 260°C

### Regulatory Compliance

FDA, EU

## Configuration

### Sprocket Dimensions

- Sprocket Size: 10T
- Bore Types: Square and Round

### Design Features

Feature	Status
Flight	No
Side Guard	No
Curve	No

## Applications

### Suitable Industries

- Food Industry (Meat, Poultry, Seafood, Bakery, Snack Food, Produce)
- Automotive Manufacturing
- Tire Manufacturing
- Packaging
- Printing & Paper
- Postal Services
- Corrugated Cardboard
- Can Manufacturing
- PET Manufacturing
- Textile