

Soil Compactor

This soil compactor is a robust machine designed for soil compaction in construction and landscaping. It features a durable steel base plate for even compaction and a user-friendly handle for easy maneuverability.



Overview

High-Performance Soil Compactor

This robust soil compactor is engineered for demanding construction and landscaping environments, offering reliable performance for foundation and pathway preparation. Featuring a choice between two powerful air-cooled, 4-cycle engines, this machine ensures consistent compaction force and operational efficiency. Its durable design includes a high-strength base plate and ergonomic handling, making it an essential tool for professional-grade surface preparation.

Performance Metrics

Centrifugal Force

15 kN

Centrifugal Force

Compaction Depth	30 cm
Travel Speed	40 cm/s
Compaction Efficiency	660 m ² /hr

Technical Specifications

Model Comparison

Specification	SMK120PC-1	SMK120PC-2
Engine Type	SMK160	SMK170F
Power (kW/hp)	4.0 / 5.5	3.2 / 4.2
Weight (kg)	105	116

Engine Configuration	Air-cooled, 4-cycle, single cylinder
----------------------	--------------------------------------

Physical Dimensions

Plate Size	62 x 46 cm
Overall Dimensions	100 x 50 x 82 cm

Operating Features

Vibration Frequency	5500 vpm
---------------------	----------