

Two-Stage High-Temperature Heat Pump

This two-stage high-temperature heat pump produces hot water up to 80°C, even in ambient temperatures as low as -20°C. It is designed for house heating, domestic hot water, and other applications requiring high-temperature water.



ADDITIONAL IMAGES



Overview

High-Performance Two-Stage Heat Pump

This two-stage high-temperature heat pump is designed for efficient water heating up to 80°C, even in extreme ambient temperatures as low as -35°C. It serves as an ideal energy-saving replacement for traditional coal, oil, and electric boilers in space heating and domestic hot water applications. With advanced features like intelligent defrosting and multi-grade antifreeze protection, this system ensures reliable performance for both residential and industrial use.

Key Features

Key Features

Two-Stage Compression, High Temperature Output (80°C), Wide Operating Range (-35°C to 43°C), Intelligent Defrost, Antifreeze Protection, Energy Saving Curve

Performance Metrics

Featured Performance Metrics

80 °C
Max Water Temp

2.6 W/W
Max COP

54 dB(A)
Avg Noise Level

Technical Specifications

Technical Specifications

Feature	Specification
Refrigerant	R410a / R134a
Compressor Type	Scroll
Power Supply	220V/1PH/50Hz or 380V/3PH/50Hz
Water Outlet/Inlet	1 inch
Ambient Range	-35°C to 43°C

Applications

Suitable Applications

- Private Residences & Villas
- Hotels
- Bathing Pools & Saunas
- Factories
- Commercial Centers
- Slaughterhouses