

Urinal Flush Push Button Switch

This push button switch is designed for urinal flush systems. It features a spring return mechanism for momentary operation.



Overview

Versatile Push Button Switch

This spring return push button switch is designed for reliable control in various electrical applications, including urinal flush systems. Built with a durable combination of zinc alloy and high-grade anti-flame plastic, it ensures longevity and safety. The unit features silver alloy contacts to provide high resistance against electrical erosion, making it suitable for demanding control circuits.

Technical Specifications



Specializing in production of buttons and indicators since 1997

Robust construction featuring clear contact configuration (NO) and voltage ratings for industrial use.

Rated Insulation Voltage	AC 600V (50Hz/60Hz)
Conventional Heating Current	10 A
Insulation Resistance	e5M $\text{\textcircled{C}}$
Contact Resistance	d25m $\text{\textcircled{C}}$
Power Frequency Withstand Voltage	AC 2.5KV/min

Performance Metrics

Mechanical Life

100000 cycles

Pushbutton

50000 cycles

Selector Switch

Electrical Life

500000 cycles

Pushbutton

250000 cycles

Selector Switch

Compliance & Standards

Compliance Standards

- GB/T14048.1
- IEC60947-5-1

Certifications

CE, ISO 9001, RoHS, UL