

# 15L Digital Ultrasonic Cleaner with Stainless Steel Tank

This industrial-grade ultrasonic cleaner features a digital timer and heater, easily controlled via an LCD. Its internal tank is constructed from 2.0 thickness stainless steel for durability and rust resistance.



## Overview

### High-Efficiency Ultrasonic Cleaning

This 15L digital ultrasonic cleaner is engineered for professional-grade cleaning of intricate parts across industrial, commercial, and laboratory environments. Constructed with a durable stainless steel tank, it utilizes 40kHz high-frequency sound waves to create cavitation bubbles that effectively remove stubborn contaminants. The unit features adjustable heating and timer controls, allowing for precise customization to meet specific cleaning requirements.

## Key Performance

### Performance Metrics

**360 W**

Ultrasonic Power

**300 W**

Heating Power

**40 kHz**

Frequency

## Technical Specifications

Tank Capacity	15 L
Temperature Range	Normal to 80°C
Timer Range	0 to 30 minutes (adjustable)

## Dimensions & Weight

### Size and Weight Details

Type	Dimensions (mm)	Weight (kg)
Tank Size	330 x 300 x 150	-
Unit Size	360 x 330 x 310	10 (N.W.)
Package Size	460 x 400 x 370	11 (G.W.)

## Power Supply

### Available Voltages

- AC 100-120V, 50/60Hz
- AC 220-240V, 50/60Hz

## Construction

Material & Build	Stainless Steel Tank, Corrosion Resistant, Digital Control Panel, Industrial Transducer
------------------	---