

2-Pole AC Contactor for HVAC Applications

This 2-pole AC contactor is designed for HVAC applications. It provides reliable switching for compressors, fans, and other electrical loads in air conditioning and refrigeration systems.



ADDITIONAL IMAGES



Product Overview



A 2-pole definite purpose magnetic contactor designed for reliable HVAC and refrigeration switching.

High-Performance HVAC Definite Purpose Contactor

This 2-pole magnetic AC contactor is specifically engineered for HVAC and refrigeration applications, providing reliable switching for compressors, fans, and heating elements. Certified by CUL and designed to meet IEC60947-4-1 standards, it ensures safety and durability in demanding environments. With a 40A rating and 24VAC coil, it offers a robust solution for air conditioning and industrial cooling systems.

Electrical Ratings

Contact Rating Per Pole

Voltage (VAC)	FLA (A)	LRA (A)	Resistive (A)
240/277	40	240	50
480	40	200	50
600	40	160	50

Full Load Amperage (FLA)

40 A

Coil Voltage

24VAC

Frequency

50/60Hz

Technical Specifications

MORE PRODUCTS



The contactor is part of a comprehensive range of HVAC control solutions including disconnect boxes and relays.

Tightening Torque

- Screws: 22 in-lbs
- Lugs: 40 in-lbs

Number of Poles

2

Application Type

Definite Purpose / Hermetic Refrigeration Compressor

Compliance & Certifications

Safety Certifications

CUL, UL, CSA, CE

Applicable Standards

IEC60947-4-1 (AC-1, AC-3)

Service & Logistics

OEM/ODM Support

Yes

Delivery Time

15-20 days after deposit

Payment Terms

30% deposit, balance against B/L copy