

4X1.5mm² Flame Retardant Control Cable

This control cable is designed for supervisory electrical equipment and station control circuits. It is suitable for indoor and outdoor installation in wet or dry locations, as well as in conduit, duct, trench and cable tray, and provides special mechanical protection.



ADDITIONAL IMAGES



Product Overview

Flame Retardant Control Cable

This 4-core control cable is engineered for reliable signal transmission in supervisory electrical equipment and station control circuits. Featuring a robust construction with copper tape screening and galvanized steel tape armor, it provides excellent protection against both electromagnetic interference and mechanical damage. Designed with flame-retardant PVC materials, this cable is suitable for installation in diverse indoor and outdoor environments, including conduits, ducts, and trenches.

Technical Specifications

Conductor Size	1.5 mm ²
Number of Cores	4
Conductor Material	Concentric stranded annealed copper
Insulation Material	PVC (Polyvinyl Chloride)
Screening	Copper tape
Armor	Galvanized Steel Tape
Outer Sheath	Flame retardant PVC

Compliance & Application

Suitable Environments

- Indoor and outdoor
- Wet or dry locations
- Conduit
- Duct
- Trench
- Cable tray

Mechanical Protection

Armored • Flame Retardant • EMI Shielded

International Standards

IEC 60228, IEC 60227