


# 6V/12V 2/8/12/25A High-Frequency Battery Charger

This is a high-frequency, double-voltage battery charger suitable for both 6V and 12V batteries. It offers multiple charging current options, including 2A, 8A, 12A, and 25A, providing flexibility for different battery sizes and charging needs.



## ADDITIONAL IMAGES



## Overview

### Intelligent High-Frequency Charging

This high-frequency battery charger is a microprocessor-controlled unit designed for efficient, multi-stage maintenance of lead-acid batteries. It features a robust metal case and a digital display for real-time monitoring of charging status and parameters. With comprehensive safety protections including short circuit, reverse polarity, overload, and overheat safeguards, it provides a reliable charging solution for automotive and marine applications.

## Technical Specifications

### Selectable Output Currents

- 2
- 8
- 12
- 25

### Compatible Battery Types

WET • AGM • GEL • VRLA • CALCIUM

### Charging Program

9 stages

### Supported Voltages

6V, 12V, 24V

## Safety & Protection

### Protection Systems

- Short circuit protection
- Reverse polarity protection
- Overload protection
- Overheat protection
- Spark-proof design

## Performance Metrics

### Battery Capacity Compatibility

Metric	Range
Automotive (CCA)	300-3000
Marine (MCA)	420-4000
Deep Cycle (Ah)	12-500
Reserve Capacity (A)	22-850