

AC Electrical Contactor

This AC contactor is designed for circuits up to 660V AC at 50Hz or 60Hz. It is used for making, breaking, frequently starting, and controlling AC motors.



ADDITIONAL IMAGES



Product Overview

Professional AC Electrical Contactor

This definite purpose AC electrical contactor is engineered for reliable performance in demanding electrical control systems, particularly within HVAC&R applications. Built for durability and efficient operation, it features robust construction and clear terminal markings for straightforward installation. The unit is CUL certified, ensuring compliance with essential safety standards for professional electrical environments.

Technical Specifications

Control Voltage

380 V

Voltage Range (50Hz)

415 V

Max Voltage (50Hz)

440 V

Max Voltage (60Hz)

Terminal Layout

| Terminal Type | Label |
|---------------|------------------|
| Power Input | 1 L1, 3 L2, 5 L3 |
| Power Output | 2 T1, 4 T2, 6 T3 |
| Auxiliary | 13 NO, 14 NO |
| Control | A1, A2 |

Certifications

CUL Certified

Model Series

LC1-D32 / CJX2

Order Information

Payment Terms

- 30% deposit
- Balance against B/L copy

Quality Control

100% self-inspection • Pre-packing testing

Standard Delivery Time

15-20 days after deposit

OEM/ODM Support

Yes