


# Automatic Double-Sided Labeling Machine

This automatic labeling machine applies labels to products on two sides. Its stainless steel construction ensures durability and hygiene for use in the food, beverage, pharmaceutical, and cosmetics industries.



## Overview

### High-Performance Double-Sided Labeling Solution

The LT500 plane labeling machine is constructed from high-grade stainless steel and aluminum alloy, ensuring durability and hygiene for industrial environments. Equipped with high-speed servo motors and advanced photoelectric control systems from Germany, Japan, and Taiwan, it offers exceptional labeling accuracy and throughput. The system features a PLC-based human-machine interface, providing simple and clear operation for efficient production management.

## Performance Metrics

### Output Speed

**350 PCS/min**

Max Speed

### Labeling Precision

±1mm

## Technical Specifications

Machine Dimensions	2800mm (L) x 1650mm (W) x 1500mm (H)
Machine Weight	450 kg
Power Supply	220V 50/60HZ 3.5KW
Printer Air Pressure	5 kg/cm <sup>2</sup>

## Labeling Capabilities

### Label Dimensions

Parameter	Range
Label Height	15-140mm
Label Length	25-300mm

### Compatible Object Size

Dimension	Range
Height	30-350mm
Thickness	20-120mm

### Roll Specifications

- Inside Diameter: 76mm
- Outside Diameter: 420mm

## Construction

Construction Materials	Stainless Steel, Aluminum Alloy
------------------------	---------------------------------