


# DIN5686 Knotted Link Chain

This DIN5686 knotted chain is designed for diverse industrial uses. Its knotted link design enhances both strength and flexibility.



## Product Overview

### DIN5686 Knotted Link Chain

The DIN5686 Knotted Link Chain is engineered for versatility and reliability across a wide range of industrial applications. Featuring a distinct knotted link design, this chain offers enhanced flexibility and structural integrity, making it an excellent choice for general-purpose fastening, machinery, and lifting equipment. Manufactured strictly to DIN5686 standards, each unit ensures consistent performance and high-quality construction for professional use.

## Technical Specifications

### Standard

DIN 5686

### Dimensions & Load Capacity

Size No.	Diameter (mm)	Inside Length (mm)	Outside Width (mm)	Breaking Load (kg)	Weight/100m (kg)
14	1.4	20	6.5	16	4.2
16	1.6	23	7	22	6
20	1.8	26.5	8	30	7.3
22	2	28	9	40	9
25	2.2	31	10	50	11
27	2.5	35	11	70	14
30	2.8	39	12.5	90	17
32	3.1	41	14	120	21
35	3.4	44	15.5	140	26
40	3.8	46	17	160	34
45	4.2	52	19	170	41
50	4.6	58	20.5	180	50

## Key Features

### Design Advantages

- Knotted link geometry for improved flexibility
- Engineered for industrial lifting and fastening
- Wide range of sizes available (1.4mm to 4.6mm diameter)
- Standardized dimensions for universal compatibility