

Dual 10-Inch Line Array Speaker System

This line array speaker system is designed for professional audio applications in medium to large venues. It features dual 10-inch low-frequency drivers and high-frequency compression drivers for clear sound reproduction.



ADDITIONAL IMAGES



System Overview

Professional Line Array Solution

This dual 10-inch line array speaker system is engineered for high-performance sound reinforcement in medium to large venues, including theaters, auditoriums, and outdoor touring events. The system features a bi-amplified two-way design with precise dispersion control, ensuring consistent audio quality throughout the audience area. Built with 18mm birch plywood and a durable black textured finish, it is designed for reliability and ease of installation in demanding professional environments.

Ideal Applications

Indoor/Outdoor Touring, Conference Centers, Performing Arts Halls, Stadiums, Banquet Halls

L-210 Full-Range Specs

Rated Power (RMS)

550 W
LF Power

120 W
HF Power

Transducers

- 2 x 10" Woofers (2.6" voice coil, Neodymium)
- 2 x 1.75" Compression Drivers (1.4" throat, Neodymium)

Frequency Response

65Hz - 18kHz

Max SPL

137dB (Peak)

L-210B Subwoofer Specs

Frequency Response

40Hz - 300Hz (-3dB)

Rated Power (RMS)

600 W

LF Transducer

1 x 18" Woofer (4" voice coil, Ferrite)

Physical & Construction

Dimensions & Weight

Model	Dimensions (WxHxD)	Net Weight
L-210	842 x 310 x 396 mm	37 Kg
L-210B	842 x 540 x 620 mm	61 Kg

Build Quality

18mm Birch Plywood, Glass Fiber, Black Textured Paint, Anti-Corrosion Steel Grill