

Dual 8-Inch Line Array Speaker

This line array speaker features dual 8-inch low-frequency drivers and high-frequency drivers. The modular design allows flexible configuration for various venue sizes and acoustic requirements.



ADDITIONAL IMAGES



Overview

Professional Line Array System

This high-performance dual 8-inch two-way line array speaker is engineered for demanding professional audio environments, including touring performances, theaters, and large-scale auditoriums. Featuring a robust birch plywood enclosure with glass fiber reinforcement, it delivers exceptional clarity and a wide frequency response. The system includes integrated rigging hardware for flexible, scalable installation, making it suitable for both suspended and ground-stacked configurations.

Suitable Applications

Touring Performance, Live Events, Theater, Performing Arts Halls, Auditoriums, Stadiums, Fixed Installations

Full-Range Speaker Performance

Key Performance Metrics

134 dB

Peak SPL

300 W

LF Rated Power

120 W

HF Rated Power

Driver Configuration

- 2 x 8-inch Neodymium Woofer (2-inch voice coil)
- 2 x 1-inch throat Neodymium Compression Driver (1.75-inch voice coil)

Frequency Response

70Hz - 18kHz

Coverage Angle (HxV)

90° x 9°

Subwoofer Performance

Subwoofer Technical Data

Feature	Specification
System Type	1 x 18-inch Passive Bass
Frequency Response	40Hz - 300Hz (-3dB)
Rated Power (RMS)	600W
Maximum SPL	128dB
Impedance	8 Ω

Physical Construction

Enclosure & Hardware

- 18mm Birch plywood with glass fiber
- Black textured paint finish
- Black steel anti-corrosion grill
- Adjustable rigging hardware (0° - 10°)

Dimensions & Weight (Full-Range)

Metric	Value
Dimensions (WxHxD)	722 x 276 x 476 mm
Net Weight	36 kg
Gross Weight	39 kg