

Electric Chain Hoist

This electric chain hoist features a compact design and lightweight construction for reliable performance. It is easy to handle and offers a wide scope of use for loading, unloading, and maintaining equipment.



ADDITIONAL IMAGES



Product Overview

Professional Electric Chain Hoist

This electric chain hoist is designed and produced according to FEM/DIN standards, featuring a modular design for the motor and reducer. It utilizes a high-quality, low-noise motor and an aluminum alloy shell for durability and efficient operation. Ideal for lifting small-size goods, it is well-suited for auto parts manufacturing, packing, and painting lines.

Performance Metrics

Capacity Range

0.1 t

Min Capacity

2 t

Max Capacity

Lifting Height Range

3 m

Min Height

8 m

Max Height

Power Rating

0.9 Kw

Min Power

4.8 Kw

Max Power

Technical Specifications

Model Specifications

Capacity (t)	Model	Lifting Speed (m/min)	Power (Kw)	Working Level
0.25	NLG20250	2.8/8.0	0.9/0.36	1Am/M4
0.32	NLG20320	2.8/8.0	1.18/0.75	3m/M6
0.5	NLG500	2.8/8.0	1.18/0.75	1Am/M5
0.63	NLG20630	2.5/10	0.45/1.90	2m/M5
1	NLG31000	2.5/10	0.45/1.90	1Bm/M3
1.5	NLG31500	1.25/5.0	0.75/3.0	1Am/M4
2	NLG32000	1.25/5.0	0.45/1.90	1Am/M4

Features

Key Features

- Advanced performance structure with small volume and light weight
- Modularized design of motor and reducer
- Easy to handle with wide application scope
- Suitable for suspended I-beam, curve track, cantilever crane, and fixed point installation
- Hardened surface reducer for improved durability