

Electric Utility Truck for Commercial Applications

This electric truck is designed for efficient and eco-friendly transportation. It features a durable chassis, a spacious cargo area, and a comfortable seating arrangement.



Overview

Efficient Utility Transport

This electric utility truck is engineered for versatile commercial applications, offering a quiet and emission-free solution for hotels, industrial facilities, and maintenance operations. It features a robust chassis and a spacious cargo platform, ensuring reliable performance for daily transport needs. With a focus on functionality and ease of use, this vehicle helps businesses optimize their logistics while reducing their environmental footprint.

Performance

Key Performance Metrics

24 km/h

Max Speed

80 km

Range

15 %

Climbing Ability

Charging Time: 8-10 hours

Braking Distance: 5 m

Dimensions & Weight

Vehicle Dimensions

Measurement	Value
Length	4050 mm
Width	1220 mm
Height	1890 mm

Weight Specifications

- Kerb Weight: 750 kg
- Gross Weight: 1150 kg

Cargo Platform Dimensions: 1800 x 1220 x 1220 mm

Technical Details

Motor Type: 3kW DC Motor

Battery Configuration: 6V x 8pcs

Passenger Capacity: 2

Chassis & Handling

Tread Width

- Front Tread: 870 mm
- Rear Tread: 980 mm

Min Turning Radius	6.5 m
--------------------	-------

Min Ground Clearance	105 mm
----------------------	--------