



Friction Top Modular Conveyor Belt for Inclined Conveyors

This modular plastic conveyor belt features a friction top surface, making it ideal for inclined conveyor systems. Its design ensures enhanced grip, preventing slippage of conveyed items in various industrial applications.



ADDITIONAL IMAGES



Product Overview

High-Performance Modular Conveyor Belt

This modular plastic conveyor belt is specifically engineered for inclined conveying applications, featuring a specialized friction top surface to ensure superior grip and prevent slippage. Designed for versatility and durability, it is compatible with a wide range of industrial environments including food processing and heavy manufacturing. With a maintenance-free design and a high load capacity of up to 1.2 tons per square meter, this belt offers a reliable, long-lasting solution for demanding production lines.

Technical Specifications

Available Colors

White • Blue • Gray • Nature • Dark-brown

Model Number	HS-200EL
Pitch	25.4 mm
Thickness	13 mm
Minimum Width	45 mm
Open Area	0 %
Rod Diameter	4.9 mm
Working Temperature	-40°C to 260°C
Available Materials	PP, POM, PE, PA

Features & Capabilities

Maximum Load Capacity

1.2 tons/m²

Max Load

Design Features

- Flight included
- No side guard
- No curve capability
- Maintenance-free
- Easy to clean

Regulatory Compliance

FDA Approved, EU Approved

Compatibility

Compatible Sprocket Sizes

- 7T
- 8T
- 10T
- 12T
- 16T
- 20T

Bore Types

Square Bore, Round Bore

Applications

Suitable Industries

Industry Type	Specific Sectors
Food Industry	Meat, Poultry, Seafood, Bakery, Snacks, Fruit & Vegetables
Non-Food Industry	Automotive, Tire, Packaging, Printing, Postal, Cardboard, Can, PET, Textile