


# Galvanized Water Well Screen for Filtration

This water well screen is constructed from low carbon galvanized steel for corrosion resistance. It is designed with precise slot openings for efficient water filtration and to prevent sediment from entering the well.



## Product Overview

### High-Efficiency Filtration Solution

This galvanized water well screen is engineered for optimal performance in water, oil, and gas well applications. Constructed with a robust wedge wire design, it features high structural integrity, precise slot dimensions, and a high open area to ensure efficient filtration. The galvanized coating provides essential corrosion resistance, making it a reliable choice for demanding environmental well completions.

## Technical Specifications

### Dimensional Range

**25 mm**

Min Diameter

**1200 mm**

Max Diameter

**6 m**

Max Length

### Wedge Wire Dimensions

Component	Width Range (mm)	Height Range (mm)
Wedge Wire	1.50 - 3.70	2.20 - 7.00
Support Rod	2.30 - 3.70	2.70 - 6.30

### Material Composition

Galvanized Low Carbon Steel, Stainless Steel 304, Stainless Steel 316

### Slot Size Range

0.10mm to 6.00mm

## Certifications & Compliance

### Quality Standards

ISO 9001:2000 • CE • SGS

## Packaging & Logistics

### Packaging Details

- Individually wrapped in bubble bag
- Packaged in fumigation-certified wooden cases