

Gasoline Engine Water Pump

This self-priming centrifugal water pump is powered by a 7.0HP gasoline engine. It features a 4-inch inlet and outlet, making it suitable for high-volume water transfer applications such as irrigation, construction, and dewatering.



Overview

High-Performance Gasoline Water Pump

This self-priming centrifugal water pump is powered by a robust 7.0HP OHV gasoline engine, designed for high-volume water transfer. Featuring a durable aluminum alloy pump body with a cast iron volute and impeller, it is built to withstand demanding environments like construction sites and irrigation fields. The system includes an easy-start mechanism, low oil protection, and a high-quality ceramic mechanical seal for long-term reliability.

Performance Metrics

Key Performance Indicators

1300 L/min

Rated Flow

28 m

Max Lift Head

8 m

Max Suction Head

Technical Specifications

Engine Specifications

Feature	Detail
Engine Power	7.0 HP
Engine Type	OHV 25°
Fuel Tank Capacity	3.6 L
Continuous Working Time	2.1 h

Construction Materials Aluminum Alloy Body, Cast Iron Volute, Cast Iron Impeller, Ceramic Mechanical Seal

Suction/Discharge Port 4 inch

Safety & Features

Protection Systems

- Low oil protection device
- Robust protective frame
- Easy start system

Physical Attributes

Net Weight 32 kg