

Gasoline Powered Water Transfer Pump

This gasoline water pump is engineered for efficient water transfer in diverse settings. Its robust engine ensures reliable performance, complemented by a durable pump housing for extended service life.



ADDITIONAL IMAGES



Product Overview

High-Performance Water Transfer

This self-priming gasoline water pump is engineered for reliable and efficient water transfer in demanding environments such as irrigation, construction sites, and general water removal tasks. Featuring a robust single-cylinder, 4-stroke engine, it delivers consistent power for high-capacity pumping needs. The unit is built with a durable pump housing and a sturdy frame, ensuring stability during operation and longevity in the field.

Performance Metrics

Max Discharge Head	30 m
Max Suction Head	7 m
Max Capacity	32 m ³ /h

Hydraulic Specifications

Water Inlet Diameter	50 mm
Water Outlet Diameter	50 mm

Engine Specifications

Max Power

6.5 HP

Power

3600 rpm

RPM

Max Torque

13.2 N.m

Torque

2500 rpm

RPM

Engine Type	Single cylinder, 4-stroke
-------------	---------------------------

Displacement Volume	196 ml
---------------------	--------

Compression Ratio	8.5:1
-------------------	-------

Capacities

Fuel Tank Capacity	3.6 L
--------------------	-------

Oil Capacity	0.6 L
--------------	-------

Features

Key Features	Self-priming, Durable Frame, 4-Stroke Engine, High-Capacity Pump
--------------	--