


# Manual Chemical Transfer Pump

This hand pump is designed for transferring various chemicals and fluids. Constructed from PP and POM, it is suitable for low-viscosity substances.



## Overview

### Manual Chemical Transfer Pump

This manual chemical transfer pump is constructed from durable PP and POM materials, making it an ideal solution for transferring a wide range of low-viscosity fluids. It is specifically designed to handle substances such as gasoline, diesel, engine oil, water, various acids, alkalis, AdBlue, alcohol, and toluene. Please note that this pump is not suitable for high-viscosity liquids like grease or glue, as these can damage the internal components.

## Performance

### Key Performance Metrics

**0.33 L/Rotation**

Flow Rate

**70 RPM**

Recommended Speed

## Compatibility

### Do Not Use With

- Grease
- Glue
- High-viscosity liquids
- Solids

### Compatible Fluids

Gasoline, Diesel, Engine Oil, Water, Acid, Alkali, AdBlue, Alcohol, Toluene, Uric Acid

## Dimensions

### Pump Dimensions

Component	Measurement
Inlet Outer Diameter	26.3 mm
Inlet Length	1272 mm
Outlet Outer Diameter	26.5 mm

## Logistics

### Packaging and Weight

Metric	Value
Quantity per Carton	6 PCS
Gross Weight	10.5 kg
Net Weight	8.5 kg
Package Size	50.5 x 35.5 x 32.5 cm