

Mass Finishing Media and Compounds

These mass finishing media products are designed for vibratory tumbling and centrifugal disc finishing. They are used for deburring, polishing, and surface conditioning of metal, plastic, and ceramic parts.




Overview

Mass Finishing Solutions

This comprehensive range of mass finishing media and chemical compounds is engineered for high-performance surface conditioning, deburring, and polishing. The selection includes varied ceramic and plastic media compositions designed for processes such as vibratory tumbling and centrifugal disc finishing. Complementing the media, our specialized grinding, anti-rust, and cleaning compounds ensure optimal surface quality across diverse materials including steel, copper, aluminum, and zinc alloys.

Ceramic Media



Technical specifications for ceramic media grades and dimensions.

Available Shapes

- Ball
- Square Cut Triangle (SCT)
- Angled Cut Triangle (ACT)
- Square Cut Cylinder (SCC)
- Angled Cut Cylinder (ACC)
- Cone
- Tristar Pyramid

Ceramic Media Specifications

Grade	Specific Weight (g/cm ³)	Primary Use
VFC	2.58	Very Fast Cutting
FC	2.53	Fast Cutting
GC	2.51	General Cutting
MC	2.5	Medium Cutting
LC	2.44	Light Cutting
P	2.6	Polishing
FP	2.7	Fine Polishing

Available Grades

VFC (Very Fast Cutting), FC (Fast Cutting), GC (General Cutting), MC (Medium Cutting), LC (Light Cutting), P (Polishing), FP (Fine Polishing)

Plastic Media

The image displays a technical specification sheet for plastic media, divided into sections for Ceramic Media, High Density Media, and Plastic Media. Each section contains a table of product specifications, including media type, weight, and cutting intensity. The tables are organized by cutting intensity, with columns for different levels of media weight and cutting speed.

Overview of ceramic and plastic media varieties available for different cutting intensities.

Plastic Media Types

- PL-F (Fast Cutting)
- PL-M (Medium Cutting)
- PL-L (Light Cutting)

Specific Weight Range

1.56 g/cm³
Light

1.8 g/cm³
Heavy

Finishing Compounds

The image displays a technical specification sheet for finishing compounds, divided into sections for Grinding Compound, Anti-Rust Agent, and Cleaning Agent. Each section contains a table of product specifications, including compound type, material, and machine type. The tables are organized by material and machine type, with columns for different levels of compound weight and cutting speed.

Selection guide for finishing compounds based on material and machine type.

Available Forms

- Liquid
- Powder
- Solid

Compound Categories

Grinding Compound, Anti-Rust Agent, Cleaning Agent

Compatible Materials

Steel, Iron, Copper, Aluminum, Zinc Alloys, Stainless Steel