

# Non-Sparking Beryllium Copper Bung Wrench

This non-sparking bung wrench is designed for use in potentially explosive environments. Constructed from beryllium copper, it is anti-magnetic and resistant to rust.



## Product Overview

### Safety-First Design for Hazardous Environments

This non-sparking bung wrench is engineered from high-quality beryllium copper alloy, specifically designed for use in flammable and explosive atmospheres. Its robust construction ensures safety in critical industries such as petrochemicals, mining, and gas stations. With a 350mm length, this tool provides the necessary leverage for efficient operation while maintaining non-magnetic and rust-resistant properties.

## Technical Specifications

Length	350 mm
Material	Beryllium Copper Alloy (Be-Cu)
Hardness	HB 283-365
Breaking Strength	105-120 kgf/mm <sup>2</sup>

## Material Composition

### Material Composition

Element	Content
Be	1.8%-2%
Ni	0.1%-0.6%
Others	<0.6%
Cu	Rest

## Key Features

### Key Features

Spark Proof • Non-magnetic • Rust resistant

## Applications

### Suitable Industries

- Petrochemical Industry
- Mining
- Gas Stations
- Railways
- Radar Stations
- Aerospace
- Pharmaceuticals
- Shipyards
- Laboratories
- Desalination Plants