

Oil-Sealed Submersible Pump for Irrigation

These oil-sealed submersible pumps are used for farm irrigation, and water supply or discharge for projects and mining. The motor is closed and externally ventilated, with Class B insulation and IP68 protection.



Product Overview

Reliable Irrigation Solution

The QY series oil-sealed submersible pumps are specifically engineered for demanding agricultural irrigation and drainage tasks. These robust units feature a reliable oil-sealed mechanism designed for consistent performance in submerged conditions. With a diverse range of flow rates and pressure heads available, this series offers a dependable solution for efficient water management across various farming environments.

Key Features

Design Highlights

Oil-Sealed Motor, Submersible Design, Agricultural Grade, High Efficiency

Technical Specifications

Model Performance Data

Model	Flow (m³/h)	Head (m)	Power (kW)	Outlet (mm)
QY15-26-2.2	15	26	2.2	51
QY25-17-2.2	25	17	2.2	64
QY65-7-2.2	65	7	2.2	102
QY100-4.5-2.2	100	4.5	2.2	150
QY40-12-2.2	40	12	2.2	76
QY15-36-3	15	36	3	51
QY15-40-3	15	40	3	51
QY12.5-40-3	12.5	40	3	51
QY10-54/3-3	10	54	3	51
QY25-26-3	25	26	3	64
QY40-16-3	40	16	3	76
QY65-10-3	65	10	3	102
QY100-9-4	100	9	4	150
QY10-72/4-4	10	72	4	51
QY25-32-4	25	32	4	64
QY40-21-4	40	21	4	76

Operational Parameters

Electrical Specs

380 V

Voltage

2850 r.p.m

Rotational Speed