

Portable Electric Generator

This portable generator is designed to provide power in various situations. It features a durable engine, AC outlets, and a voltmeter for monitoring output.



Product Overview

Versatile Portable Power Solutions

These portable electric generators are engineered for reliability in diverse environments, from construction sites to emergency backup power needs. Featuring a forced air-cooled 2-stroke OHV single-cylinder engine, they provide consistent performance across three power output configurations. With user-friendly recoil starting and robust fuel efficiency, these units offer a dependable solution for professional power requirements.

Engine Specifications

Engine Type	Forced air-cooled 2-stroke OHV single cylinder
Ignition System	Transistorized Magneto
Starting System	Recoil and hand-operated

Performance Metrics

Key Performance Metrics

3 kW

Min Rated Output

5.5 kW

Max AC Output

25 L

Fuel Tank Capacity

69 dB

Min Operation Noise

Technical Comparison

Model Specifications

Feature	Model 5000	Model 6000	Model 6500
Displacement (ml)	242	337	389
Rated Output (kW)	3.0	4.0	5.0
Max AC Output (kW)	3.3	4.5	5.5
Fuel Consumption (L/H)	2	2.45	2.7
Continuous Hours (H)	12.5	10	9
Net Weight (kg)	67	80	83

Electrical Output

Rated Voltage	220V / 110V
DC Output	12V, 8.3A

Logistics

Dimensions (L x W x H)	710 x 540 x 590 mm
20' Container Capacity	123 PCS