


RG6 Coaxial Cable

RG6 coaxial cable is designed for transmitting high-frequency signals efficiently. It features a central conductor, dielectric insulation, braided shielding, and a durable outer jacket.



Product Overview

High-Performance RG6 Coaxial Cable

This RG6 coaxial cable is engineered for reliable high-frequency signal transmission in CCTV and CATV applications. Featuring a robust construction with a solid PE dielectric and double-layer shielding, it ensures minimal signal loss and durability. The cable is designed to meet professional standards for broadband and television signal distribution.

Electrical Specifications

| | |
|-----------|-------------|
| Impedance | 75 Ω |
|-----------|-------------|

Physical Construction

| | |
|--------------------------|---------|
| Inner Conductor Diameter | 1.23 mm |
| Dielectric Diameter | 7.24 mm |
| Outer Conductor Diameter | 7.9 mm |
| Armor Wire Diameter | 10.8 mm |
| Outer Jacket Diameter | 14.3 mm |

Construction Details

| | |
|------------------------|------------------------------------|
| Material Customization | BC, CCS, Solid PE, PVC, Steel Wire |
|------------------------|------------------------------------|

Logistics

Packing Options

- Roll
- Wooden Drum
- Pallet

Available Lengths

100 m

Min Length

500 m

Max Length