

Seamless Stainless Steel Tubing

This seamless stainless steel tubing has a thickness of 0.5mm to 50mm. The outer diameter ranges from 6mm to 762mm, with a maximum length of 18 meters per piece.



ADDITIONAL IMAGES



Product Overview

High-Performance Seamless Tubing

This seamless stainless steel tubing is engineered for demanding industrial environments, offering superior corrosion resistance and structural integrity. Available in a wide variety of 300-series grades and duplex alloys, it provides versatile solutions for heat exchangers, fluid transfer, and high-pressure systems. Our products adhere to international standards including ASTM, EN, DIN, and JIS to ensure reliability across global supply chains.

Technical Specifications

Dimensions

0.5 mm

Min Thickness

50 mm

Max Thickness

6 mm

Min OD

762 mm

Max OD

International Standards

- ASTM A312, A213, A269, A249, A511, A789, A790
- EN10216
- DIN
- JIS
- GOST

Available Material Grades

304/L, 316/L, 321/H, 347H, Duplex, S31803, 32750

Applications & Testing

Industry Applications

Petroleum • Chemical • Medicine • Food Processing • Energy • Aviation • Heat Exchangers

Quality Assurance Testing

UT, ET, HT, PT, RT

Commercial Details

Commercial Terms

Term	Value
FOB Price	USD 2000/Ton
Min Order	1 Ton
Delivery	45 Days
Production Capacity	30000 tons/year