

Self-Priming Centrifugal Water Pump

This self-priming centrifugal water pump is designed for various applications. It features a robust engine for reliable performance and efficient water transfer.



Product Overview

Professional Self-Priming Centrifugal Water Pump

The MGPU40A is a portable, self-priming centrifugal pump engineered for efficient water transfer in irrigation and construction environments. Powered by a reliable 41.5cc 2-stroke engine, this unit delivers a flow capacity of 19m³/h with a maximum head of 20 meters. Its compact, durable frame ensures easy transport and stability, making it an ideal solution for versatile water pumping needs in demanding field conditions.

Performance Metrics

Performance Highlights

19 m³/h

Flow Capacity

20 m

Max Head

1.6 kW

Power Output

Engine Specifications

Engine Configuration

Feature	Specification
Model	1E40F-33S
Cycles	2
Displacement	41.5cc
Engine Speed	6500±200min-1
Start Type	String

Operational Data

Fuel and Consumption

- Fuel Tank Capacity: 1.5L
- Gasoline Wastage: d1.5L/h
- Mixture Ratio: 40:1

Connection Size

38 mm

Logistics and Compliance

Approvals

GS • CE • EMC • Euroa • EPA

Weight (N.W/G.W)

8/9.5kgs

Carton Dimensions

38x33x41cm