

Single Pole Contactor 20-30A for HVAC

This single pole contactor is designed for HVAC and refrigeration applications. It is suitable for switching electrical circuits in air conditioning systems and other commercial installations.



ADDITIONAL IMAGES



Overview

High-Performance Definite Purpose Contactor

These definite purpose contactors are engineered for reliable performance in commercial HVAC and refrigeration applications. Designed to meet rigorous electrical and mechanical standards, they provide efficient switching for systems including air conditioners, resistive heating, and lighting installations. With robust construction and versatile coil voltage options, they offer a dependable solution for demanding environments.

Electrical Specifications

Current Ratings

20 A

Min FLA

30 A

Max FLA

45 A

Resistive Amps

Number of Poles

1

Available Coil Voltages

24VAC, 120VAC, 240VAC, 277VAC, 380VAC, 480VAC

Termination Type

#10-32 screw

Environmental Specifications

Operating Temperature Range

-40°C to +65°C (-40°F to +150°F)

Applications

Suitable Applications

- Air conditioners
- Refrigeration systems
- Resistive heating
- Lighting installations

Logistics & Support

Quality Control

100% Self-inspection • Pre-packing testing

Typical Lead Time

15-20 days after deposit

Payment Terms

30% deposit, balance against B/L copy