


Split Metal Sealed Ball Valve

This split metal sealed ball valve is designed with face-to-face dimensions based on JB/T 1686 standards and flange dimensions based on JB/T 79.1 standards. The valve comes in nominal diameters ranging from DN15 to DN200.



Product Overview

Split Metal Sealed Ball Valve

This range of split metal sealed ball valves is engineered for high-performance industrial applications, offering robust durability and precise control. Designed to meet industry-standard face-to-face and flange requirements, these valves ensure seamless integration into existing pipeline systems. With a comprehensive size range available, they provide reliable flow management solutions for demanding operational environments.

Standards & Compliance

Design Standards	JB/T 1686, JB/T 79.1
Customization Options	Yes

Dimensional Data

Main Overall and Connecting Dimensions (mm)

DN	Bore (d)	Length (L)	Flange (D)	Height (H)	Handle (W)
15	15	108	95	75	130
20	20	117	105	75	130
25	25	150	115	85	130
32	32	165	135	110	180
40	40	180	145	135	230
50	50	200	160	142	230
65	65	220	180	173	400
80	76	250	195	183	400
100	100	280	215	255	650
125	125	320	245	264	650
150	150	360	280	290	1000
200	200	400	335	395	1125

Technical Specifications

Nominal Diameter Range

15 mm

Min Diameter

200 mm

Max Diameter