

# Stainless Steel Garden Submersible Pump

This stainless steel submersible pump is designed for garden use. It can handle fluid temperatures up to 35°C and dirty water with particles up to 30mm.



## Overview

### Stainless Steel Garden Submersible Pump Series

The DFS-S/SD series offers versatile stainless steel submersible pumps engineered for both clean and dirty water applications. These units come equipped with a standard 10-meter cable and plug, ensuring easy installation and immediate deployment in garden or agricultural settings. Designed for reliability, the pumps feature robust construction capable of handling fluid temperatures up to 35°C and ambient temperatures up to 40°C.

## Operating Conditions

### Particle Handling Capacity

**30 mm**

Dirty Water Max Size

**5 mm**

Clean Water Max Size

Max Fluid Temperature: 35 °C

Max Ambient Temperature: 40 °C

## Certifications

Certifications & Standards: CE, ROHS, AGS

## Technical Specifications

### Performance & Specifications Table

Model	Power (W)	HP	Max Head (m)	Max Flow (L/min)	Gross Weight (kg)
DFS-S250	250	0.35	6	90	5.1
DFS-S400	400	0.55	7.5	120	5.7
DFS-S500	500	0.7	8	150	6.3
DFS-S750	750	1	9	180	6.4
DFS-SD400	400	0.55	6	140	6
DFS-SD550	550	0.75	7	160	6.5
DFS-SD750	750	1	8	200	7

## Equipment

### Standard Equipment

- 10 meters of power cable
- Integrated plug