


# Tapered Roller Bearing

Tapered roller bearing designed for high load capacity and durability. It features a cone and cup assembly, optimized for efficient load distribution and smooth operation.



## Product Overview

### High-Performance Tapered Roller Bearings

These tapered roller bearings are engineered to handle high load capacities while ensuring consistent performance in demanding environments. Featuring a precise cone and cup assembly, they provide excellent load distribution and smooth operation. These components are specifically designed to deliver reliable radial and axial support for diverse industrial applications.

## Technical Specifications

### Metric Dimensions and Weight

Bearing No.	d (mm)	D (mm)	T (mm)	Weight (kg)
LM11749/LM11710	17.462	39.878	13.843	0.083
LM11949/LM11910	19.05	45.237	15.494	0.128
M12649/M12610	21.43	50.005	17.526	0.172
LM12749/LM12710	21.986	45.237	15.494	0.116
L44643/L44610	25.4	50.292	14.224	0.126
L45449/L45410	29	50.292	14.224	0.113
LM67048/LM67610	31.75	59.131	15.875	0.168
LM48548/LM48510	34.925	65.088	18.034	0.257
L68149/L68110	34.988	59.131	15.875	0.17
LM501349/LM501310	41.275	73.431	19.558	0.325

<b>Performance Features</b>	High Load Capacity, Axial Support, Radial Support, Durable Construction
-----------------------------	-------------------------------------------------------------------------