

Thermoelectric Dehumidifier with Auto-Shut-Off

This portable thermoelectric dehumidifier removes up to 400ml of moisture per day. It features an auto-shut-off function and operates quietly.



ADDITIONAL IMAGES



Overview



The thermoelectric system works by cooling air to condense water vapor, ensuring efficient moisture removal.

Compact Thermoelectric Dehumidification

This portable thermoelectric dehumidifier is engineered for efficient moisture control in small to medium-sized indoor environments. Utilizing advanced thermoelectric cooling technology, it operates quietly while effectively removing up to 400ml of water per day. Designed with user safety in mind, the unit features an automatic shut-off function that engages when the water tank reaches capacity, preventing overflow and ensuring worry-free operation.

Key Features



Compact design suitable for bedrooms, bathrooms, and closets.

Key Features

- Portable and compact design
- Low noise operation
- Auto-shut-off functionality
- 1.5L water tank capacity
- Thermoelectric cooling technology

Performance



Easy-to-monitor water level indicator helps manage tank capacity.

Daily Capacity

400 ml/day
Capacity

Operating Temperature Range

15°C to 40°C

Technical Specifications



Removable water tank allows for convenient emptying and maintenance.

Power Supply

110V or 220V / 50-60Hz

Water Tank Capacity

1.5 L

Dimensions

Unit Dimensions (W*H*D)	204*335*142mm
Packing Dimensions (W*H*D)	260*410*192mm

Certifications

Compliance & Certifications	CE, CB, GS, ISO 9001, ETL, BSCI, EMC
-----------------------------	--------------------------------------