


Wireless Electronic Padlock

This wireless padlock allows for remote locking and unlocking. It is constructed with a stainless steel locking beam and copper lock body for durability in harsh conditions.



ADDITIONAL IMAGES



Overview



**No Power, No Wiring,
Without Maintenance**

Intelligent Passive Electronic Lock have no power, and you don't need to wiring and maintain anymore. They could be used in all environments.

Applications Scenarios

Suitable for harsh environment, drill proof, saw proof, knock proof, corrosion resistant. It could be used in transportation industry and so on.



Intelligent Passive Electronic Padlock

This advanced wireless padlock features an intelligent core that eliminates the need for external power, complex wiring, or frequent maintenance. Constructed with high-strength materials, it offers superior resistance against physical attacks including drilling, sawing, and corrosion. Its passive design ensures reliable operation in diverse and challenging environmental conditions, making it an ideal choice for high-security applications.

Technical Specifications

Environmental Metrics

-40 °C Min Temperature	70 °C Max Temperature	97 % Max Humidity	10 Years Service Life
----------------------------------	---------------------------------	-----------------------------	---------------------------------

Protection Rating

IP68

Durability Features

Drill-proof, Saw-proof, Knock-proof, Corrosion-resistant


Construction

Intelligent Passive Transverse Padlock

Intelligent lock core is embedded in horizontal padlock. Stainless steel lock beam and full copper lock body, high strength, suitable for harsh environment, anti-drilling, sawing, knocking and corrosion resistance. Suitable for wide locks. Cannot be opened technically and is easy to manage.

WM-2000B-HCS



Materials: The locking beam is made of stainless steel, the lock body is made of copper, and the fastening screw is made of steel
Surface Treatment: Matte
Working Environment: Temperature(-40~70°C)
Humidity (20%~97%)
Service life: 10 years
Protection level: IP68



Material Composition

Component	Material
Locking Beam	Stainless Steel
Lock Body	Copper
Fastening Screw	Steel

System Features



Core Features

- Passive electronic operation (no power/wiring)
- Two-way identity authentication
- Comprehensive activity logging
- Remote map location tracking
- Granular user permission management
- Customizable system interface